



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA), ODISHA.

(Constituted vide Order No. S.O. 3387 (E) Date 15.12.2015 of Ministry of Environment Forest & CC, Govt. of India,
Under Environment Protection Act, 1986.)
Qr. No. 5RF-2/1, Unit - IX, Bhubaneswar - 751022
E-mail : seiaaorissa@gmail.com

Ref. No. SEIAA/ 2718

Date 20.03.17

File No. 38208/03-NCP/01-2016

To

Mr. S.K Mohanty,
Vice President
Advance Medicare Research Institute Limited
Plot No. 1, Beside Satyasai enclave,
Khandagiri, Bhubaneswar-751030

Sub: Proposal for expansion of Advance Medicare Research Institute Limited (AMRI) Hospital from 313 beds to 400 beds with total built up area 37,485 Sqm. at Aiginia, Bhubaneswar - Amendment of Environmental Clearance regarding.

Sir,

This has reference to your letter no AHL/BBSR/5021 dated 02.01.2016 and subsequent clarification letter no. AHL/BBSR/8014/17 dated 10.02.2017 and file no. 109-33/EPE/56 dated 03.02.2017 of MoEF & CC, Regional Office, Chandrasekharpur, Bhubaneswar on the above mentioned subject I am directed to say that the State Environment Impact Assessment Authority (SEIAA), Odisha have considered the Environmental Clearance amendment application of M/s Advance Medicare Research Institute Limited Hospital in its meeting held on dated 09.03.2017.

M/s Advance Medicare Research Institute Limited (AMRI) Hospital, Bhubaneswar has proposed the expansion of Advance Medicare Research Institute Limited (AMRI) Hospital from 313 beds to 400 beds with total built up area 37,485 Sqm. at Aiginia, Bhubaneswar, Odisha. The project is situated near Aiginia in Bhubaneswar block of Khurda district in the state of Odisha. The project site is located at latitude 20°15'36.61"N and longitude 85° 46' 38.46" E and the area comes under Survey of India toposheet No-73H/15. The proponent had obtained Environment Clearance from SEIAA, Odisha vide letter no. SEIAA/202/ENV, dated 02.04.2011 which was valid for 5 years for total built up area 37,485 Sqm. The Hospital is already in operation. Now they

have requested to amend EC for increasing bed strength from 315 to 400. However, the total built up area will remain same. The following table shows comparison between existing facility and additional requirement.

	As given in EC letter granted by SEIAA on 02.04.2011	Additional (Proposed)	Total
Hospital bed	312	88	400
Plot area	20235.0 Sqm.	-	20235.0 Sqm.
Built up area	37485.0 Sqm.	-	37485.0 Sqm.
Water requirement	192 KLD	40 KLD	232 KLD
Bio-medical Waste	156.5 Kg/day	43.5 Kg/day	200 Kg/day
Power Requirement	1100 KW	100 KW	1200 KW
Project Cost	400 Crores	12.23 Crores	412.23 Crores

The consultant M/s Centre for Envotech & Management Consultancy Pvt. Ltd., Bhubaneswar made a detailed presentation before the SEAC on 20.02.2016.

Considering the information/documents furnished and additional clarifications provided during presentation made by the consultant M/s. Centre for Envotech and Management Consultancy Pvt. Ltd, Bhubaneswar on behalf of the project proponent, the State Expert Appraisal Committee (SEAC) after due considerations of the relevant documents submitted by the project proponent and clarification/documents furnished to it have recommended to amend the EC granted on 02.04.2011 for the bed capacity of 400 with extension of environmental clearance validity period upto 7 years from 02.04.2011 as per amended EIA Notification.

The State Environment Impact Assessment Authority (SEIAA) after considering the proposal and recommendations of SEAC, Odisha hereby accords amendment of Environmental Clearance in favour of the project under the provisions of EIA Notification 2006 and 2009 and subsequent amendments thereto under various MoEF & CC, Govt. of India circulars subject to strict compliance of the terms and conditions stipulated remaining unaltered as given vide E.C letter no. SEIAA-203/ENV dated 02.04.2011. The amendment of EC is granted for expansion of bed capacity upto 400 beds. The EC will be valid upto 01.04.2018. All other conditions of environmental clearance as communicated vide no.202/Env dt.02.04.2011 remain unaltered/unchanged. In addition, the following conditions will also be strictly followed/adhered to:

Stipulated Conditions (Additional):

1. The EC Conditions which are in process should be fully complied within a period of six months, and compliance report furnished to Regional Office of MoEF & CC and to SEIAA.
2. The Proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically on the MoEF & CC website.



3. The project proponent shall comply with all the conditions stipulated in the building approval letter.
4. A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional office, District Industries Centre and Collector's Office/ Tahsildar's Office for 30 days.
5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to the SEIAA, Odisha.
6. Officials from the Regional Office of MoEF & CC, Bhubaneswar would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all entire documents shall be submitted to SEIAA, Odisha, Regional Office of MOEF&CC, Bhubaneswar and the SPCB. The Proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically on the MoEF & CC website.
7. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEIAA, Odisha.
8. The SEIAA, Odisha reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
9. All other statutory clearances shall be obtained, as applicable by project proponents from the respective competent authorities.
10. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
11. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental clearance and project has been accorded Environmental Clearance and copies of the clearance letters are available with SEIAA, Odisha and the Odisha State Pollution Control Board (OSPCB) and may also be seen on the website of the board. The advertisement should be made within Seven days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional Office of MoEF & CC, Govt. of India at Bhubaneswar.
12. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal, the clearance letter shall also be put on the website of the company the proponent.
13. The proponents shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the




same periodically on the MoEF & CC, Govt. of India website. It shall simultaneously be sent to the Regional Offices of MoEF & CC, Bhubaneswar the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

14. Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

The above mentioned stipulated conditions shall be complied in a time-bound manner. Failure to comply with any of the conditions mentioned above may result in cancellation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.


Yours faithfully,


20/03/17
Member Secretary

Memo No 2719 /Dt. 20.03.17

Copy to

1. Joint Secretary (Environment), Ministry of Environment, Forests and Climate Change Govt. of India, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110003 for information.
2. Principal Secretary, Forests & Environment Dept., Government of Odisha for information.
3. Chairman, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-8, Bhubaneswar for information.
4. Additional Principal Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment & Forests, A-31, Chandrasekharapur, Bhubaneswar for information.
5. Chairman, Central Pollution Control Board, CBD-cum-office Complex, East Arj Nagar, New Delhi-110032 for kind information.
6. Vice Chairman, Bhubaneswar Development Authority, Akash Sobha Building, Secretariat Marg, Bhubaneswar-751001 for kind information.
7. Chief Engineer, PH (Urban), Orissa, 1st Floor, Heads of Dept. Building, Bhubaneswar-751001 for kind information.
8. Chief Engineer-cum-Member Secretary, Orissa Water Supply & Sewerage Board, Satya Nagar, Bhubaneswar-751007 for kind information.
9. Collector & District Magistrate, Khurda for kind information and necessary action.
10. Chairman/Member/Member Secretary, SEIAA for kind information.
11. Chairman, SEAC/Secretary, SEAC, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-VIII, Bhubaneswar for kind information.
12. Guard file for record.


20/03/17
Member Secretary