



Mobile: +91 - 7042515511
Phone: +91-11-4967 4967

Human Care Medical Charitable Trust

To

Central Pollution Control Board
Parivesh Bhawana
East Arjun Nagar
Delhi-110002

(ENQUIRY COMMITTEE)
6/6/2019
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

Subject: Half yearly return of Batteries (Management and Handling) Rules, 2001 for health care facility for the year 2019 (January-June)

Sir

Please find the enclosed half yearly return for the year 2019, duly filled as desired by you for our HCF.


We assure you that we shall comply with all directions and regulation to operate the Battery (Management & Handling) Rules, 2001, guideline as advised by CPCB authorities from time to time.

We shall be grateful to submit future information.

Thanking You

Yours truly

For: Human Care Medical Charitable Trust



Rules

Copy to:

1. Sr. Environmental Engineer, Waste Management Cell, Delhi Pollution Control Committee, 6th Floor, ISBT Building, Kashmere Gate, New Delhi



Mobile: +91 - 7042515511
Phone: +91-11-4967 4967

Human Care Medical Charitable Trust

To

Sr. Environmental Engineer, Waste Management Cell-II
Delhi Pollution Control Committee
6th floor, ISBT building
Kashmere Gate
New Delhi-110006

2
21/07/2019
(ENQUIRY CENTER)
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

Subject: Annual return for health care facility for the year 2019(Form-IV & Form-I)



Sir

Please find the enclosed annual return for the year 2019 of bio-medical waste generation with Form-IV & accident reporting form in Form-I duly filled as desired by you for our HCF.

We assure you that we shall comply with all directions and regulation to operate the bio-medical waste management rule, guideline as advised by DPCC authorities from time to time.
We shall be grateful to submit future information.

Thanking You

Yours truly
For: Human Care Medical Charitable Trust


Authorised Signatory


केंद्रीय प्रदूषण नियंत्रण बोर्ड
परिवेश भवन, पूर्वी अर्जुन नगर, दिल्ली-32
02 JUL 2019
Central Pollution Control Board
resh Bhavan, East Arjun Nagar, Delhi-32

Encl. As Above:

1. Form-IV duly filled and submitted
2. Form-I duly filled and submitted

Copy to -
CPCB (ms)

Form - IV**(See rule 13)****ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.No	Particulars	
1	Particulars of the Occupier :	: HUMAN CARE MEDICAL CHARITABLE TRUST
	(i) Name of the authorised person (occupier or operator of facility) :	SANJAY KHURANA
	(ii) Name of HCF or CBMWTF :	SMS WATER GRACE BMW PVT LTD
	(iii) Address for Correspondence :	ADJOINING MTNL BUILDING, SECTOR-6, DWARKA, NEW DELHI-110075
	(iv) Address of Facility	ADJOINING MTNL BUILDING, SECTOR-6, DWARKA, NEW DELHI-110075
	(v) Tel. No, Fax. No :	9899356373
	(vi) E-mail ID :	sanjay3591@aol.com
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	28° 35' 31.7040" N & 77° 2' 45.7836" E
	(ix) Ownership of HCF or CBMWTF	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorised and valid upto 29.10.2022
	(xi). Status of Consents under Water Act and Air Act	Approved on 14.03.2018 and valid upto 29.10.2022
2	Type of Health Care Facility	
	(i) Bedded Hospital	380 (FUNCTIONAL -201)
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or	

	Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry	F.24/SWZ/1467/NH/DHS/HQ/2017-20/	
3	Details of CBMWTF	SMS WATER GRACE BMW PVT LTD	
	(i) Number healthcare facilities covered by CBMWTF : (ii) No of beds covered by CBMWTF : (iii) Installed treatment and disposal capacity of CBMWTF:		
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		
	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Red Category : 7563.706 Kg	
		Yellow Category : 7366.156 Kg	
		White: 546.198 Kg	
		Blue Category : 1532.798 Kg	
		General Waste: 22101 Kg	
5	Details of the Storage, treatment, transportation, processing and Disposal Facility	Size : Nil Capacity:Nil	
	(i) Details of the on-site storage facility	Nil	
	(ii) Details of the treatment or disposal facilities	Type of Treatment Equipment	No of Unit Quantity treated
		Autoclave	1 2269.73 kg
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.		
	(iv) No of vehicles used for collection and transportation of biomedical waste		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	ETP Sludge: 35kg	
	(vi) Name of the Common Bio-	SMS WATER GRACE BMW PVT LTD	

	Medical Waste Treatment Facility Operator through which wastes are disposed of	
	(vii) List of member HCF not handed over bio-medical waste.	N/A
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	No
7	Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management.	80
	(ii) number of personnel trained (iii) number of personnel trained at the time of induction	1300 (including repetition of staff) 450
	(v) whether standard manual for training is available?	YES, PPT BASED
8	Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details.	No incidents occurred in year 2018.
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emission monitoring systems installed	N/A
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Yes , Effluent Treatment Plant is installed in hospital to treat such waste.
11	Is the disinfection method or sterilization meeting the log 4. standards? How many times you have not met the standards in a year?	Yes