

MONTH- JUNE2026

PCB Approval Day

UNITS	NO. OF BEDS as per CTO/BMW	Actual Generated BMW Quantity						Per Day total	Per day limit	Variance
		YELLOW	WHITE	BLUE	CYTOTOXIC					
MH-Gurugram	90	4	5	0	3	0				

Actual Generated BMW Quantity										
01-Jun-26	90	60	89	8	18.9	4	179.9	180	0.1	
02-Jun-26	90	60	88.8	1.9	18.6	10	179.3	180	0.7	
03-Jun-26	90	59.8	87.2	4.7	20	8	179.7	180	0.3	
04-Jun-26	90	65	88	2.9	14	10	179.9	180	0.1	
05-Jun-26	90	60	83.2	8.5	19	9	179.7	180	0.3	
06-Jun-26	90	59.3	87.7	9.9	13	10	179.9	180	0.1	
07-Jun-26	90	59.9	84.9	10	18	7	179.8	180	0.2	
08-Jun-26	90	60	83.5	8.3	18	10	179.8	180	0.2	
09-Jun-26	90	59.4	85.6	4.7	20	10	179.7	180	0.3	
10-Jun-26 *	90	60	79.9	9.8	20	10	179.7	180	0.3	
11-Jun-26	90	60.00	80	10	19.8	10	179.8	180	0.2	
12-Jun-26	90	59.8	81.9	10	18.2	10	179.9	180	0.1	
13-Jun-26	90	59.1	81.1	10	19.6	10	179.8	180	0.2	
14-Jun-26	90	60	87.9	9.9	19.7	2	179.5	180	0.5	
15-Jun-26	90	59	87.2	8.6	20	5	179.8	180	0.2	
16-Jun-26	90	59.5	86.2	9	15	10	179.7	180	0.3	
17-Jun-26	90	59.7	85.6	4.7	19.8	10	179.8	180	0.2	
18-Jun-26	90	59.6	85.4	9.8	17	8	179.8	180	0.2	
19-Jun-26	90	60	89.9	9.9	19.8	0	179.6	180	0.4	
20-Jun-26	90	60	84.8	4.9	20	10	179.7	180	0.3	
21-Jun-26	90	59.7	83.6	7.6	18.9	10	179.8	180	0.2	
22-Jun-26	90	60	82.7	9.2	18	10	179.9	180	0.1	
23-Jun-26	90	59.8	88.9	10	19.8	1	179.5	180	0.5	
24-Jun-26	90	59.7	82.6	8.7	18.7	10	179.7	180	0.3	
25-Jun-26	90	59	85.8	5.9	19	10	179.7	180	0.3	
26-Jun-26	90	59.8	81	10	19	10	179.8	180	0.2	
27-Jun-26	90	59.8	88.8	3	19.2	9	179.8	180	0.2	
28-Jun-26	90	59	88.6	8.8	20.5	3	179.9	180	0.1	
29-Jun-26	90	59.95	84.8	6.6	19.3	9	179.65	180	0.35	
30-Jun-26	90	59	87.4	7.6	19.8	6	179.8	180	0.2	
Total Weight		1795.85	2562	232.9	560.6	241	5392.35	5400	7.65	