



Dt – 27/7/2020

To  
The DEE,  
TNPCCB,  
Salem.

Dear Sir,

Sub:Annual Report of BMW -2019

Ref: Manipal Hospital-Salem.

Please find attached our Annual BMW report of 2019 for your records.  
Request you to please acknowledge the same for our audit purpose.

Regards,

For.Manipal Hospital – Salem

(P.Vashudev Godya – Operations)



**Manipal Hospital Salem**

Dalmia Board, Salem-Bangalore Highway, Salem 636 012 P +91 427 2346 600 [www.manipalhospitals.com](http://www.manipalhospitals.com)

Registered Office

**Manipal Health Enterprises Pvt Ltd**

The Annexe, #98/2, Rustom Bagh Road, Off HAL Airport Road, Bangalore 560 017 P +91 80 4936 0300 [www.manipalhospitals.com](http://www.manipalhospitals.com)

CIN: U85110KA2010PTC052540

**Form - IV**  
(See rule 13)  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


Sl. No	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Mr.SGS Lakshmanan
	(ii) Name of HCF or CBMWTF	:	MANIPAL HOSPITALS
	(iii) Address for Correspondence	:	Sf.No: 46/1A,46/4A2, Vellakkalpatti Village, Omalur Taluk, Salem District 636012
	(iv) Address of Facility	:	Sf.No: 46/1A,46/4A2, Vellakkalpatti Village, Omalur Taluk, Salem District 636012
	(v) Tel. No, Fax. No	:	T +91 427 2346 600   F +91 427 2345
	(vi) E-mail ID	:	adminsalem@manipalhospitals.com
	(vii) URL of Website	:	<a href="https://salem.manipalhospitals.com/">https://salem.manipalhospitals.com/</a>
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Private Corporate Hospital
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: BMW-4796 Valid upto: Applied
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: Air - 2009230672719 - 31/3/2021 Water - 2009130672719 - 31/3/2021
2	Type of Health Care Facility	:	Multi Specialty
	(i) Bedded Hospital	:	No. of Beds: 130
	(ii) Non-bedded hospital Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	SALMALL20200014684 - 15/3/2025
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	<i>Yellow Category: 239 Kgs / Month</i> <i>Red Category: 559 Kgs / Month</i> <i>White: 144 Kgs / Month</i> <i>Blue Category: 140 Kgs /Month</i> <i>General Solid Waste: 65 Kgs / Day</i>

	facility		(1) Size:1.3/4m*1.1/2m*2.1m, (2) 1.1/2m*1.1/2m*2.1/2m (3) 1.1/2m*1.1/2m*2.1/2m (4) 1/1/2m*1.1/2m*2.1/2m																																																					
			Capacity: (1) 6.5625M3, (2) 5.625 M3 (3) 5.625 M3 (4)5.625 M3																																																					
			Provision of on-site storage : (Cold storage or any other provision)																																																					
	(ii) Disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity Treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>02</td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>05</td> <td></td> <td></td> </tr> <tr> <td>Sharps</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemicaldisinfection:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves	02			Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer	05			Sharps				Encapsulation or concrete pit				Deep burial pits				Chemicaldisinfection:				Any other treatment equipment:				
Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum																																																					
Incinerators																																																								
Plasma Pyrolysis																																																								
Autoclaves	02																																																							
Microwave																																																								
Hydroclave																																																								
Shredder																																																								
Needle tip cutter or destroyer	05																																																							
Sharps																																																								
Encapsulation or concrete pit																																																								
Deep burial pits																																																								
Chemicaldisinfection:																																																								
Any other treatment equipment:																																																								
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) NO																																																					
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:																																																						
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <thead> <tr> <th></th> <th>Quantity Generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration</td> <td></td> <td></td> </tr> <tr> <td>Ash</td> <td></td> <td></td> </tr> <tr> <td>ETP Sludge</td> <td></td> <td></td> </tr> </tbody> </table>		Quantity Generated	Where disposed	Incineration			Ash			ETP Sludge																																											
	Quantity Generated	Where disposed																																																						
Incineration																																																								
Ash																																																								
ETP Sludge																																																								
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Ramky Energy and Environment Ltd. Salem 637 102																																																					
	(vii) List of member HCF not handed over bio-medical waste.																																																							
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period																																																							

7	Details trainings conducted on BMW	Bio Medical Waste Segregation, BMW Transport, BMW Storage, PPE.
	(i) Number of trainings conducted on BMW Management	26
	(ii) Number of personnel trained	415
	(iii) Number of personnel trained at the time of induction	54
	(iv) Number of personnel not undergone any training so far	YES
	(v) Whether standard manual for training is available?	
8	Details of the accident occurred during the year	-
	(i) Number of Accidents occurred	-
	(ii) Number of persons affected	-
	(iii) Remedial Action taken (Please attach details if any)	-
	(iv) Any Fatality occurred, details	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	We Have 50 KLD STP
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01.01.2019 to 31.12.2019

Name and Signature of the Head of the Institution



Date: 25/7/2020

Place: Salem



**S.G.S. LAKSHMANAN**  
Unit Head  
Manipal Hospital, SALEM.